




*MOVING YOUR STONE  
FORWARD*

## Belts for the Marble and Ceramic Industries

**Schiki Belts works with OEMs and end users as partners, to provide conveyor and process belting solutions that can improve product quality, reduce maintenance times and lower manufacturing costs.**

We offer a wide range of belting products. By choosing Schiki Belts technology, you can not only reduce your supplier base, you will also have access to our worldwide network of industry and product specialists.





Premium partner



# Schiki Belts solutions for Marble and Ceramic Industries



## Block Cutting Machine




Leather flat belt with fabric top surface. Medium friction can handle peak loads and best suited for lateral movement.

The correct belt selection is crucial to ensure the optimal power transmission, therefore a correct calculation is required. Please ask our specialists.


## Grinding Machine



Petrol Green PVC conveyor belt, 74 ShA, 3 plies, R19 top cover profile, resistant to mineral oils, hydrocarbons and detergents. Good abrasion resistance.





Petrol Green PVC conveyor belt, 74 ShA, 3 plies. Thin hemispherical R19 profile allows the best adhesion to the workpiece. Good abrasion resistance.




Petrol Green PVC conveyor belt, 74 ShA, 4 plies, with R6 surface design. This rhomboidal profile is especially designed to assure maximum adhesion of the conveyed product and drainage of water.


## Slab Polishing Machine



Dark Green PVC conveyor belt, 46 ShA, 3 plies. Its very flexible cover and R19 structure surface guarantee both grip and drainage of water.





Dark Blue very strong PVC conveyor belt, 55 ShA, 4 plies, R20 top cover. High stability of the products conveyed.



Dark Blue PVC conveyor belt, 55 ShA, 4 plies. High profile with tooth-saw design, being an evolution of our classical profile, allows maximum stability of the marble and granite slabs also for thin and slightly bulged slabs.



## Splitting Machine




Petrol Green PVC conveyor belt, 74 ShA, 3 plies. Thin, hemispherical, R19 profile allows the best adhesion to the workpiece. Good abrasion resistance.



## Calibration and Polishing Machine




Petrol Green  
PVC conveyor belt, 74 ShA, 3 plies,  
R19 top cover structure, resistant  
to mineral oils, hydrocarbons and  
detergents.



Petrol Green  
PVC conveyor belt, 74 ShA,  
3 plies. Thin hemispherical profile  
allows the best adhesion to  
the workpiece. Good abrasion  
resistance.



Petrol Green PVC conveyor belt,  
74 ShA with R6 surface design.  
This rhomboidal profile is especially  
designed to assure maximum  
adhesion of the conveyed product  
and drainage of water.





Dark Green PVC conveyor belt,  
46 ShA, 3 plies.  
Its very flexible cover and R19  
structure surface guarantee both  
grip and drainage of water.




Dark Blue Very strong 4 plies  
PVC conveyor belt, 55 ShA,  
R20 top cover. High stability of the  
products conveyed.



## Chamfering Machine





Flexam EM 16/3 0+R19 Petrol  
Green AS  
PVC conveyor belt, 74 ShA, 3 plies,  
R19 cover surface; good resistance  
to abrasion.



Flexam EF 70/4 00+R8 Dark Blue  
PVC conveyor belt, 55 ShA, 4 plies.  
High profile with tooth-saw design,  
being an evolution of our classical  
profile, allows maximum stability of  
the marble and granite slabs also  
for thin and slightly bulged slabs.

## Edge Polishing Machine





Flexam EF 50/3 01+R19 Dark Green  
PVC conveyor belt, 46 ShA, 3 plies.  
Its very flexible cover and R19  
structure surface guarantee both  
grip and drainage of water.



Flexam EF 70/4 00+R20 Dark Blue  
Very strong 4 plies PVC conveyor  
belt, 55 ShA. High stability of the  
products conveyed.

# Schiki Belts solutions for Marble and Ceramic Industries

## Mixture and Dosing Machine



### SBMD000008

Excon EF 30/3 07+20 Dark Green  
AS FG FR  
Flexible PVC conveyor belt, 75 ShA,  
3 plies, oil and fat resistant.  
Antistatic properties, tear resistance  
according DIN 53363 and flame  
retardant according ISO 340.



### SBPO514361



Poliflex ESM 10/2 0+02 transparent  
M1 AS FG NL  
Polyolefin conveyor belt, 92 ShA  
cover hardness. Matt cover, 2 plies.



### SBPE510440


Peflex ESM 15/3 0+02 transparent  
M1 AS FG NL  
Polyolefin conveyor belt, 92 ShA  
cover hardness. Matt cover, 3 plies.

## Engineered Stone Slab Forming




### SBMD000063

Excon EF 45/2 R14+R14 Black FG  
Flexible conveyor belt, 2 plies,  
perfect vacuum sealed,  
extraordinary resistance to  
abrasion from vibration process,  
very good temperature and  
solvents resistance.



## Conveying of Engineered Stone Powders



### SBFL570180

Flexam EM 15/3 0+10 Green AS FG  
Flexible PVC conveyor belt, 72 ShA,  
3 plies, oil and fat resistant.